



Agreement on the Conservation of Albatrosses and Petrels

Sixth Meeting of Advisory Committee

Guayaquil, Ecuador, 29 August – 2 September 2011

Peer-review process of the prioritization database conducted during the South American Workshop (Buenos Aires, September 2010) [Proyecto ACAP 09-10]

**Author Argentina, Brazil, Chile, Ecuador, Peru, Uruguay,
Chair Advisory Committee, BirdLife International**

'This paper is presented for consideration by ACAP and may contain unpublished data, analyses, and/or conclusions subject to change. Data in this paper shall not be cited or used for purposes other than the work of the ACAP Secretariat, ACAP Advisory Committee or their subsidiary Working Groups without the permission of the original data holders.'

Peer-review process of the prioritization database conducted during the South American Workshop (Buenos Aires, September 2010) [Project ACAP 09-10]

Background

Between 14 and 16 September 2010 the workshop “Improving the data collection on incidental mortality of seabirds in South American observer programmes” took place in the city of Buenos Aires, Argentina. This event was funded by ACAP through its Advisory Committee fund scheme (Project ACAP 09-10). The workshop was attended by experts from Argentina, Brasil, Chile, Ecuador, Perú, Uruguay and BirdLife International. Among the activities conducted during the meeting, experts reviewed the ACAP prioritization database whose framework is outlined in AC5 doc 15.

The present document wasn't aimed to generate a discussion about the changes proposed by the South American experts, but to show to the AC and the SBWG one of the most relevant outcomes of the workshop and its input to the process for the ACAP prioritization of conservation actions that is in its final stage of construction.

Methodology

The database was filtered by “fishery area” (in accordance with the heading in the actual database) and the experts attending the workshop conducted a case by case (combination population-fishery) peer-review of their own fisheries advising on both changes to the partial scores, and the existence of non relevant cases plus the incorporation of cases not considered in the original database. Where appropriate, additional consultations were conducted with the relevant Organisations within each country.

The individual data sets were compiled afterwards and the result is shown in Table 1 (grey cells denoting changes proposed by experts during the review process).

Outcomes

This exercise allowed a better understanding of the diversity of fisheries in the South American región and their interaction with ACAP listed species. For instance, an important number of cases (not contemplated until this exercise in the database) were added in Brazilian, Ecuadorian and Peruvian fisheries, as well as cases in Argentinean and Uruguayan fisheries which were no longer considered pertinent.

The peer-reviewed data was incorporated into the Agreement's prioritization database, which in turn allowed a review of the ranking of conservation priorities during the final stage of the development of this tool. The details of this process are considered in AC6 Doc 15.

Table 1. Database extracted from the prioritization framework after the peer-review process conducted during the South American workshop held in Buenos Aires in 2010. Grey cells highlight scores changed by reviewers. Lines strikethrough should be omitted but still shown in the table for reference. Complete lines in grey color and no ID number are cases inserted by reviewers and not included in the previous database.

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen tation of mitigation (j)	Likelihood of success if mitigation used (k)
1031	Wandering Albatross	SGI/IGS ⁽¹⁾	10,000-99,999	11-50%	Steep decline	Argentina	Demersal LL	medium	Medium	Medium	Low	High
167	Black-browed Albatross	FK/ MAL ⁽¹⁾	100,000+	51-100%	Decline	Argentina	Demersal LL	High	Medium	High	Low	High
168	Black-browed Albatross	FK/ MAL	100,000+	51-100%	Decline	Argentina	Demersal trawl	High	High	High	low	High
665	Northern Royal Albatross	Chatham Islands	10,000-99,999	51-100%	Unknown	Argentina	Demersal LL	High	Medium	Medium	Low	High
666	Northern Royal Albatross	Chatham Islands	10,000-99,999	51-100%	Unknown	Argentina	Demersal trawl	High	High	Low	low	High
1168	White-chinned Petrel	SGI/IGS	100,000+	51-100%	Unknown	Argentina	Demersal LL	High	Medium	High	Low	High
1032	Wandering Albatross	SGI/IGS	10,000-99,999	11-50%	Steep decline	Argentina	Demersal trawl	medium	High	Low	low	High
370	Grey-headed Albatross	SGI/IGS	100,000+	11-50%	Decline	Argentina	Demersal LL	High	Medium	Medium	Low	High
371	Grey-headed Albatross	SGI/IGS	100,000+	11-50%	Decline	Argentina	Demersal trawl	High	High	Medium	low	High
598	Northern Giant Petrel	SGI/IGS	10,000-99,999	11-50%	Unknown	Argentina	Demersal LL	High	Medium	low	Low	High
599	Northern Giant Petrel	SGI/IGS	10,000-99,999	11-50%	Unknown	Argentina	Demersal trawl	High	High	Medium	low	High
1169	White-chinned Petrel	SGI/IGS	100,000+	51-100%	Unknown	Argentina	Demersal trawl	High	High	Medium	low	medium
312	Grey Petrel	All sites	100,000+	51-100%	Unknown	Argentina	Demersal LL	Unknown	Unkno wn	No	Low	High
880	Southern Giant Petrel	SGI/IGS	100,000+	11-50%	Unknown	Argentina	Demersal LL	High	Medium	low	Low	High
881	Southern Giant Petrel	SGI/IGS	100,000+	11-50%	Unknown	Argentina	Demersal trawl	High	High	Medium	low	High
1016	Tristan Albatross	Gough Island	10,000-99,999	51-100%	Steep decline	Argentina	demersal trawl	Low	Low	Medium	Low	High
852	Southern Giant Petrel	IEO	100,000+	0-10%	Unknown	Argentina	Demersal LL	High	Medium	low	Low	High
853	Southern Giant Petrel	IEO	100,000+	0-10%	Unknown	Argentina	Demersal trawl	High	High	Medium	low	High

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen tation of mitigation (j)	Likelihood of success if mitigation used (k)
862	Southern Giant Petrel	Isla Gran Robredo	100,000+	0-10%	Steep increase	Argentina	Demersal LL	High	Medium	Medium	Low	High
863	Southern Giant Petrel	Isla Gran Robredo	100,000+	0-10%	Steep increase	Argentina	Demersal trawl	High	High	Medium	low	High
1124	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Argentina	Trawl	Low	Unkno wn	High	Low	High
1125	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Argentina	Demersal LL	Low	Low	High	Low	High
313	Grey Petrel	All sites	100,000+	51-100%	Unknown	Argentina	Demersal trawl	Unknown	Unkno wn	Medium	low	High
638	Northern Royal Albatross	Taiaroa Head	10,000- 99,999	0-10%	Increase	Argentina	Demersal LL	High	Medium	Medium	Low	High
639	Northern Royal Albatross	Taiaroa Head	10,000- 99,999	0-10%	Increase	Argentina	Demersal trawl	High	High	Medium	low	High
982	Southern Royal Albatross	Auckland Islands	10,000- 99,999	0-10%	Stable	Argentina	Demersal LL	Unknown	Unkno wn	Medium	Low	High
960	Southern Royal Albatross	Campbell Island	10,000- 99,999	51-100%	Stable	Argentina	Demersal LL	Low	Low	Medium	Low	High
983	Southern Royal Albatross	Auckland Islands	10,000- 99,999	0-10%	Stable	Argentina	Demersal trawl	Unknown	Unkno wn	Medium	low	High
1126	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Argentina	Pelagic LL	Low	Unkno wn	High	Low	Medium
961	Southern Royal Albatross	Campbell Island	10,000- 99,999	51-100%	Stable	Argentina	Demersal trawl	medium	Low	Medium	low	High
534	Light-mantled Albatross	SGI/IGS	100,000+	11-50%	Unknown	Argentina	Demersal LL	Low	Low	Low	Low	High
535	Light-mantled Albatross	SGI/IGS	100,000+	11-50%	Unknown	Argentina	Demersal trawl	Low	Low	Low	low	High
41	Atlantic Yellow-nosed Albatross	Gough Island	10,000- 99,999	11-50%	Unknown	Brazil	Demersal trawl	Medium	Medium	Unknow n	Low	Unknown
42	Atlantic Yellow-nosed Albatross	Gough Island	10,000- 99,999	11-50%	Unknown	Brazil	Pelagic LL	High	High	Medium	Low	Medium
59	Atlantic Yellow-nosed Albatross	Tristan da Cunha	10,000- 99,999	51-100%	Unknown	Brazil	Demersal trawl	Low	Medium	Unknow n	Low	Unknown
60	Atlantic Yellow-nosed Albatross	Tristan da Cunha	10,000- 99,999	51-100%	Unknown	Brazil	Pelagic LL	High	High	High	Low	Medium
164	Black-browed Albatross	FK/ MAL	100,000+	51-100%	Decline	Brazil	Demersal trawl	Low	Medium	Unknow n	Low	Unknown
165	Black-browed Albatross	FK/ MAL	100,000+	51-100%	Decline	Brazil	Pelagic LL	High	High	High	Low	Medium

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen- tation of mitigation (j)	Likelihood of success if mitigation used (k)
605	Northern Giant Petrel	SGI/ IGS	10,000-99,999	11-50%	Unknown	Brazil	Demersal trawl	Low	Low	Low	Low	Unknown
606	Northern Giant Petrel	SGI/ IGS	10,000-99,999	11-50%	Unknown	Brazil	Pelagic LL	Low	Low	Low	Low	Medium
677	Northern Royal Albatross	Chatham Islands	10,000-99,999	51-100%	Unknown	Brazil	Demersal trawl	Medium	Medium	Medium	Low	High
678	Northern Royal Albatross	Taiaroa Head	10,000-99,999	0-10%	Increase	Brazil	Demersal trawl	Medium	Medium	Medium	Low	High
680	Northern Royal Albatross	Chatham Islands	10,000-99,999	51-100%	Unknown	Brazil	Pelagic LL	Medium	High	High	Low	High
681	Northern Royal Albatross	Taiaroa Head	10,000-99,999	0-10%	Increase	Brazil	Pelagic LL	Medium	Medium	Medium	Low	Medium
884	Southern Giant Petrel	SGSSI/ IGSISS (1)	100,000+	11-50%	Unknown	Brazil	Demersal trawl	Low	Low	Low	Low	Unknown
885	Southern Giant Petrel	SGSSI / IGSISS	100,000+	11-50%	Unknown	Brazil	Pelagic LL	Low	Low	Low	Low	Medium
992	Spectacled Petrel	Tristan da Cunha	10,000-99,999	51-100%	Steep increase	Brazil	Demersal trawl	Medium	Medium	Unknown	Low	Unknown
993	Spectacled Petrel	Tristan da Cunha	10,000-99,999	51-100%	Steep increase	Brazil	Pelagic LL	High	High	High	Low	High
1008	Tristan Albatross	Gough Island	10,000-99,999	51-100%	Steep decline	Brazil	Demersal LL	Unknown	Unknown	Unknown	Low	Low
1009	Tristan Albatross	Gough Island	10,000-99,999	51-100%	Steep decline	Brazil	Pelagic LL	High	High	High	Low	High
1010	Tristan Albatross	Gough Island	10,000-99,999	51-100%	Steep decline	Brazil	Pelagic LL	High	High	High	Low	High
1029	Wandering Albatross	SG (IGS) +	10,000-99,999	11-50%	Steep decline	Brazil	Demersal trawl	High	Medium	Low	Low	High
1030	Wandering Albatross	SGI/ IGS	10,000-99,999	11-50%	Steep decline	Brazil	Pelagic LL	Low	High	High	Low	Medium
1134	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Brazil	Demersal LL	Low	Low	Unknown	Low	High
1135	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Brazil	Pelagic LL	Low	Medium	Unknown	Low	Medium
1176	White-chinned Petrel	SGI/ IGS	100,000+	51-100%	Unknown	Brazil	Demersal trawl	Medium	Medium	Medium	Low	Unknown
1177	White-chinned Petrel	SGI/ IGS	100,000+	51-100%	Unknown	Brazil	Pelagic LL	High	High	High	Low	Medium
1133	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Brazil	Trawl	Low	Unknown	High	Low	High

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen tation of mitigation (j)	Likelihood of success if mitigation used (k)
###	Atlantic Yellow-nosed Albatross	Tristan da Cunha	10,000-99,1000	51-100%	Unknown	Brazil	Handlinning	High	High	High	Low	
###	Atlantic Yellow-nosed Albatross	Tristan da Cunha	10,000-99,1001	51-100%	Unknown	Brazil	Pole and line	High	High	Unknown	Low	
###	Atlantic Yellow-nosed Albatross	Tristan da Cunha	10,000-99,1002	51-100%	Unknown	Brazil	Troll	High	High	High	Low	
###	Atlantic Yellow-nosed Albatross	Tristan da Cunha	10,000-99,1003	51-100%	Unknown	Brazil	Demersal gillnet	High	Low	Medium	Low	
###	Atlantic Yellow-nosed Albatross	Gough Island	10,000-99,1000	11-50%	Unknown	Brazil	Handlinning	High	High	High	Low	
###	Atlantic Yellow-nosed Albatross	Gough Island	10,000-99,1001	11-50%	Unknown	Brazil	Pole and line	High	High	Unknown	Low	
###	Atlantic Yellow-nosed Albatross	Gough Island	10,000-99,1002	11-50%	Unknown	Brazil	Troll	High	High	High	Low	
###	Black-browed Albatross	FK/ MAL	100,000+	51-100%	Decline	Brazil	Handlinning	High	High	High	Low	
###	Black-browed Albatross	FK/ MAL	100,000+	51-100%	Decline	Brazil	Pole and line	High	High	Unknown	Low	
###	Black-browed Albatross	FK/ MAL	100,000+	51-100%	Decline	Brazil	Troll	High	High	High	Low	
###	Black-browed Albatross	FK/ MAL	100,000+	51-100%	Decline	Brazil	Demersal gillnet	High	Low	Medium	Low	
###	Northern Giant Petrel	SGI/ IGS	10,000-99,999	11-50%	Unknown	Brazil	Handlinning	Low	Low	Low	Low	
###	Northern Giant Petrel	SGI/ IGS	10,000-99,999	11-50%	Unknown	Brazil	Pole and line	Low	Low	Low	Low	
###	Northern Giant Petrel	SGI/ IGS	10,000-99,999	11-50%	Unknown	Brazil	Troll	Low	Low	Low	Low	
###	Northern Giant Petrel	SGI/ IGS	10,000-99,999	11-50%	Unknown	Brazil	Demersal gillnet	Low	Low	Low	Low	
###	Southern Giant Petrel	SGSSI / IGSISS	100,000+	11-50%	Unknown	Brazil	Handlinning	Low	Low	Low	Low	
###	Southern Giant Petrel	SGSSI / IGSISS	100,000+	11-50%	Unknown	Brazil	Pole and line	Low	Low	Low	Low	
###	Southern Giant Petrel	SGSSI / IGSISS	100,000+	11-50%	Unknown	Brazil	Troll	Low	Low	Low	Low	
###	Southern Giant Petrel	SGSSI / IGSISS	100,000+	11-50%	Unknown	Brazil	Demersal gillnet	Low	Low	Low	Low	
###	Northern Royal Albatross	Chatham Islands	10,000-99,1000	51-100%	Unknown	Brazil	Handlinning	Low	Medium	Low	Low	Low

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen tation of mitigation (j)	Likelihood of success if mitigation used (k)
###	Northern Royal Albatross	Chatham Islands	10,000-99,1001	51-100%	Unknown	Brazil	Pole and line	Low	Medium	Unkonwn	Low	Low
###	Northern Royal Albatross	Chatham Islands	10,000-99,1002	51-100%	Unknown	Brazil	Troll	Low	Medium	Low	Low	Low
###	Northern Royal Albatross	Chatham Islands	10,000-99,1002	51-100%	Unknown	Brazil	Demersal gillnet	Unkown	Low	Medium	Low	Low
###	Northern Royal Albatross	Taiaroa Head	10,000-99,1000	0-10%	Increase	Brazil	Handlinning	Low	Medium	Low	Low	Low
###	Northern Royal Albatross	Taiaroa Head	10,000-99,1001	0-10%	Increase	Brazil	Pole and line	Low	Medium	Unkonwn	Low	Low
###	Northern Royal Albatross	Taiaroa Head	10,000-99,1002	0-10%	Increase	Brazil	Troll	Low	Medium	Low	Low	Low
###	Northern Royal Albatross	Taiaroa Head	10,000-99,1003	0-10%	Increase	Brazil	Demersal gillnet	Unkown	Low	Medium	Low	Low
###	Southern Royal Albatross	?	?	?	?	Brazil	Pelagic LL	Medium	Medium	Medium	Low	Medium
###	Southern Royal Albatross	?	?	?	?	Brazil	Handlinning	Low	Medium	Low	Low	Low
###	Southern Royal Albatross	?	?	?	?	Brazil	Pole and line	Low	Medium	Unkonwn	Low	Low
###	Southern Royal Albatross	?	?	?	?	Brazil	Troll	Low	Medium	Low	Low	Low
###	Southern Royal Albatross	?	?	?	?	Brazil	Demersal gillnet	Unkown	Low	Medium	Low	Low
###	Spectacled Petrel	Tristan da Cunha	10,000-99,1000	51-100%	Steep increase	Brazil	Handlinning	High	Medium	High	Low	Low
###	Spectacled Petrel	Tristan da Cunha	10,000-99,1002	51-100%	Steep increase	Brazil	Troll	High	Medium	High	Low	Low
###	Spectacled Petrel	Tristan da Cunha	10,000-99,1003	51-100%	Steep increase	Brazil	Demersal gillnet	High	Low	High	Low	Low
###	Spectacled Petrel	Tristan da Cunha	10,000-99,1001	51-100%	Steep increase	Brazil	Pole and line	High	High	High	Low	Low
###	Tristan Albatross	Gough Island	10,000-99,1000	51-100%	Steep decline	Brazil	Handlinning	Medium	Medium	Unkown	Low	
###	Tristan Albatross	Gough Island	10,000-99,1001	51-100%	Steep decline	Brazil	Troll	Medium	Medium	Unkown	Low	
###	Tristan Albatross	Gough Island	10,000-99,1002	51-100%	Steep decline	Brazil	Demersal gillnet	Medium	Medium	Unkown	Low	
###	Tristan Albatross	Gough Island	10,000-99,1003	51-100%	Steep decline	Brazil	Pole and line	Medium	High	Unkown	Low	

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen tation of mitigation (j)	Likelihood of success if mitigation used (k)
###	Wandering Albatross	SGI / IGS	10,000-99,1000	11-50%	Steep decline	Brazil	Handlinning	Low	Medium	Unkown	Low	
###	Wandering Albatross	SGI / IGS	10,000-99,1001	11-50%	Steep decline	Brazil	Troll	Low	Medium	Unkown	Low	
###	Wandering Albatross	SGI / IGS	10,000-99,1002	11-50%	Steep decline	Brazil	Demersal gillnet	Low	Medium	Unkown	Low	
###	Wandering Albatross	SGI / IGS	10,000-99,1003	11-50%	Steep decline	Brazil	Pole and line	Low	High	Unkown	Low	
###	Wandering Albatross	SGI / IGS	10,000-99,1004	11-50%	Steep decline	Brazil	Pelagic LL	Low	Low	High	Low	
###	Wandering Albatross	SGI / IGS	10,000-99,1005	11-50%	Steep decline	Brazil	Demersal LL	Unkown	Unkown	Unkown	Low	Low
###	White-chinned Petrel	SGI / IGS	100,000+	51-100%	Unknown	Brazil	Handlinning	High	High	Medium	Low	
###	White-chinned Petrel	SGI / IGS	100,000+	51-100%	Unknown	Brazil	Troll	High	High	High	Low	
###	White-chinned Petrel	SGI / IGS	100,000+	51-100%	Unknown	Brazil	Demersal gillnet	High	High	High	Low	
###	White-chinned Petrel	SGI / IGS	100,000+	51-100%	Unknown	Brazil	Pole and line	High	High	High	Low	
###	White-chinned Petrel	SGI / IGS	100,000+	51-100%	Unknown	Brazil	Pelagic LL	High	Low	High	Low	
###	White-chinned Petrel	SGI / IGS	100,000+	51-100%	Unknown	Brazil	Demersal LL	High	High	High	Low	
###	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Brazil	Handlinning	Low	Low	Unkown	Low	
###	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Brazil	Troll	Low	Low	Unkown	Low	
###	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Brazil	Demersal gillnet	Low	Low	Unkown	Low	
###	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Brazil	Pole and line	Low	Low	Unkown	Low	
###	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Brazil	Pelagic LL	Low	Low	Unkown	Low	
###	Atlantic Yellow-nosed Albatross	Tristan da Cunha	10,000-99,999	51-100%	Unknown	Brazil	Pelagic LL	High	High	High	Low	Low
###	Atlantic Yellow-nosed Albatross	Tristan da Cunha	10,000-99,999	51-100%	Unknown	Brazil	Pelagic LL	High	High	High	Low	Low
###	Atlantic Yellow-nosed Albatross	Gough Island	10,000-99,999	11-50%	Unknown	Brazil	Pelagic LL	High	High	High	Low	Low

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen tation of mitigation (j)	Likelihood of success if mitigation used (k)
###	Atlantic Yellow-nosed Albatross	Gough Island	10,000-99,999	11-50%	Unknown	Brazil	Pelagic LL	High	High	High	Low	Low
###	Black-browed Albatross	FK/ MAL	100,000+	51-100%	Decline	Brazil	Pelagic LL	High	High	High	Low	Low
###	Black-browed Albatross	FK/ MAL	100,000+	51-100%	Decline	Brazil	Pelagic LL	High	High	High	Low	Low
###	Spectacled Petrel	Tristan da Cunha	10,000-99,999	51-100%	Steep increase	Brazil	Pelagic LL	High	High	High	Low	Low
###	Spectacled Petrel	Tristan da Cunha	10,000-99,999	51-100%	Steep increase	Brazil	Pelagic LL	High	High	High	Low	Low
###	Wandering Albatross	SGI/ IGS	10,000-99,999	11-50%	Steep decline	Brazil	Pelagic LL	High	High	High	Low	Low
###	Wandering Albatross	SGI/ IGS	10,000-99,999	11-50%	Steep decline	Brazil	Pelagic LL	High	High	High	Low	Low
###	White-chinned Petrel	SGI/ IGS	100,000+	51-100%	Unknown	Brazil	Pelagic LL	High	High	High	Low	Low
###	White-chinned Petrel	SGI/ IGS	100,000+	51-100%	Unknown	Brazil	Pelagic LL	High	High	High	Low	Low
###	Atlantic Yellow-nosed Albatross	Tristan da Cunha	10,000-99,999	51-100%	Unknown	Brazil	Handlining	High	High	High	Low	Low
###	Atlantic Yellow-nosed Albatross	Gough Island	10,000-99,999	11-50%	Unknown	Brazil	Handlining	High	High	High	Low	Low
###	Spectacled Petrel	Tristan da Cunha	10,000-99,999	51-100%	Steep increase	Brazil	Handlining	High	High	High	Low	Low
###	White-chinned Petrel	SGI/ IGS	100,000+	51-100%	Unknown	Brazil	Handlining	High	High	High	Low	Low
###	Atlantic Yellow-nosed Albatross	Tristan da Cunha	10,000-99,999	51-100%	Unknown	Brazil	Troll	High	High	High	Low	Low
###	Atlantic Yellow-nosed Albatross	Gough Island	10,000-99,999	11-50%	Unknown	Brazil	Troll	High	High	High	Low	Low
###	Spectacled Petrel	Tristan da Cunha	10,000-99,999	51-100%	Steep increase	Brazil	Troll	High	High	High	Low	Low
###	White-chinned Petrel	SGI/ IGS	100,000+	51-100%	Unknown	Brazil	Troll	High	High	High	Low	Low
###	White-chinned Petrel	SGI/ IGS	100,000+	51-100%	Unknown	Brazil	gillnet	Low	Low	Medium	Low	Low
294	Chatham Albatross	Chatham Islands	10,000-99,999	51-100%	Unknown	Chile	Demersal trawl	High	Medium	High	Low	High
293	Chatham Albatross	Chatham Islands	10,000-99,999	51-100%	Unknown	Chile	Demersal LL	Medium	Medium	Medium	High	High

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen tation of mitigation (j)	Likelihood of success if mitigation used (k)
296	Chatham Albatross	Chatham Islands	10,000-99,999	51-100%	Unknown	Chile	Pelagic trawl	High	Medium	Unknown	Low	High
662	Northern Royal Albatross	Chatham Islands	10,000-99,999	51-100%	Unknown	Chile	Demersal trawl	Medium	Medium	Medium	Low	High
123	Black-browed Albatross	IDA	100,000+	0-10%	Unknown	Chile	Pelagic trawl	High	Medium	High	Low	High
1106	Westland Petrel	South Island	10,000-99,999	51-100%	Unknown	Chile	Demersal trawl	Unknown	Unknown	Medium	Low	High
131	Black-browed Albatross	I Evangelistas	100,000+	0-10%	Unknown	Chile	Pelagic trawl	High	Medium	High	Low	High
139	Black-browed Albatross	I Diego Ramirez	100,000+	0-10%	Unknown	Chile	Pelagic trawl	High	Medium	High	Low	High
147	Black-browed Albatross	Islas Ildefonso	100,000+	0-10%	Unknown	Chile	Pelagic trawl	High	Medium	High	Low	High
353	Grey-headed Albatross	I Diego Ramirez	100,000+	11-50%	Unknown	Chile	Demersal LL	High	High	High	High	High
354	Grey-headed Albatross	I Diego Ramirez	100,000+	11-50%	Unknown	Chile	Demersal trawl	High	Medium	Medium	Low	High
120	Black-browed Albatross	IDA	100,000+	0-10%	Unknown	Chile	Demersal LL	High	High	High	High	High
121	Black-browed Albatross	IDA	100,000+	0-10%	Unknown	Chile	Demersal trawl	High	Medium	High	Low	High
155	Black-browed Albatross	Islote Albatros	100,000+	0-10%	Unknown	Chile	Pelagic trawl	High	Medium	High	Low	High
128	Black-browed Albatross	I Evangelistas	100,000+	0-10%	Unknown	Chile	Demersal LL	High	High	High	High	High
129	Black-browed Albatross	I Evangelistas	100,000+	0-10%	Unknown	Chile	Demersal trawl	High	Medium	High	Low	High
161	Black-browed Albatross	Islote Leonard	100,000+	0-10%	Unknown	Chile	Pelagic trawl	High	Medium	High	Low	High
136	Black-browed Albatross	I Diego Ramirez	100,000+	0-10%	Unknown	Chile	Demersal LL	High	High	High	High	High
137	Black-browed Albatross	I Diego Ramirez	100,000+	0-10%	Unknown	Chile	Demersal trawl	High	Medium	High	Low	High
848	Southern Giant Petrel	IN/ DR	100,000+	0-10%	Unknown	Chile	Pelagic trawl	High	Medium	Medium	Low	High
144	Black-browed Albatross	Islas Ildefonso	100,000+	0-10%	Unknown	Chile	Demersal LL	High	High	High	High	High
145	Black-browed Albatross	Islas Ildefonso	100,000+	0-10%	Unknown	Chile	Demersal trawl	High	Medium	High	Low	High

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen tation of mitigation (j)	Likelihood of success if mitigation used (k)
375	Grey-headed Albatross	SGI/ IGS	100,000+	11-50%	Decline	Chile	Pelagic trawl	Low	Low	High	Low	High
152	Black-browed Albatross	Islote Albatros	100,000+	0-10%	Unknown	Chile	Demersal LL	High	High	High	High	High
153	Black-browed Albatross	Islote Albatros	100,000+	0-10%	Unknown	Chile	Demersal trawl	High	Medium	High	Low	High
1173	White-chinned Petrel	SGI/ IGS	100,000+	51-100%	Unknown	Chile	Pelagic trawl	Low	Low	High	Low	High
158	Black-browed Albatross	Islote Leonard	100,000+	0-10%	Unknown	Chile	Demersal LL	High	High	High	High	High
159	Black-browed Albatross	Islote Leonard	100,000+	0-10%	Unknown	Chile	Demersal trawl	High	Medium	High	Low	High
1038	Wandering Albatross	SGI/ IGS	10,000-99,999	11-50%	Steep decline	Chile	Pelagic trawl	Low	Low	Low	Low	High
237	Buller's Albatross	Snares	10,000-99,999	11-50%	Increase	Chile	Demersal trawl	High	Medium	High	Low	High
255	Buller's Albatross	Solander	10,000-99,999	11-50%	Increase	Chile	Demersal trawl	High	Medium	High	Low	High
315	Grey Petrel	All sites	100,000+	51-100%	Unknown	Chile	Demersal trawl	Unknown	Unkn wn	Medium	Low	High
587	Northern Giant Petrel	Chathams	10,000-99,999	11-50%	Unknown	Chile	Demersal trawl	Unknown	Unkn wn	Medium	Low	High
959	Southern Royal Albatross	Campbell Island	10,000-99,999	51-100%	Stable	Chile	Pelagic trawl	Low	Low	Medium	Low	High
699	Salvin's Albatross	Bounty Islands	100,000+	51-100%	Unknown	Chile	Demersal trawl	Unknown	Unkn wn	Medium	Low	High
567	Northern Giant Petrel	Macquarie Island	10,000-99,999	11-50%	Steep increase	Chile	Pelagic trawl	Low	Low	Medium	Low	High
346	Grey-headed Albatross	Islas Ildefonso	100,000+	0-10%	Unknown	Chile	Demersal LL	High	High	High	High	High
347	Grey-headed Albatross	Islas Ildefonso	100,000+	0-10%	Unknown	Chile	Demersal trawl	High	Medium	Medium	Low	High
661	Northern Royal Albatross	Chatham Islands	10,000-99,999	51-100%	Unknown	Chile	Demersal LL	Medium	Medium	Medium	High	High
845	Southern Giant Petrel	IN/ DR	100,000+	0-10%	Unknown	Chile	Demersal LL	High	Medium	Medium	High	High
846	Southern Giant Petrel	IN/ DR	100,000+	0-10%	Unknown	Chile	Demersal trawl	High	Medium	Medium	Low	High
941	Southern Giant Petrel	Macquarie Island	100,000+	0-10%	Increase	Chile	Pelagic trawl	Low	Low	Medium	Low	High

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen tation of mitigation (j)	Likelihood of success if mitigation used (k)
1105	Westland Petrel	South Island	10,000- 99,999	51-100%	Unknown	Chile	Demersal LL	Unknown	Unkno wn	High	High	High
314	Grey Petrel	All sites	100,000+	51-100%	Unknown	Chile	Demersal LL	Unknown	Unkno wn	High	High	High
1130	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Chile	Trawl	Low	Unkno wn	High	Low	High
586	Northern Giant Petrel	Ca/An/Au	10,000- 99,999	0-10%	Unknown	Chile	Demersal trawl	Unknown	Unkno wn	Medium	Low	High
664	Northern Royal Albatross	Chatham Islands	10,000- 99,999	51-100%	Unknown	Chile	Pelagic trawl	Medium	Medium	Medium	Low	High
637	Northern Royal Albatross	Taiaroa Head	10,000- 99,999	0-10%	Increase	Chile	Pelagic trawl	Medium	Medium	Medium	Low	High
585	Northern Giant Petrel	Chathams	10,000- 99,999	11-50%	Unknown	Chile	Demersal LL	Unknown	Unkno wn	Medium	High	High
698	Salvin's Albatross	Bounty Islands	100,000+	51-100%	Unknown	Chile	Demersal LL	Unknown	Unkno wn	High	High	High
295	Chatham Albatross	Chatham Islands	10,000- 99,999	51-100%	Unknown	Chile	Pelagic LL	Medium	Medium	Medium	Medium	Medium
979	Southern Royal Albatross	Auckland Islands	10,000- 99,999	0-10%	Stable	Chile	Demersal trawl	Unknown	Unkno wn	Medium	Low	High
1108	Westland Petrel	South Island	10,000- 99,999	51-100%	Unknown	Chile	Pelagic trawl	Unknown	Unkno wn	Medium	Low	High
317	Grey Petrel	All sites	100,000+	51-100%	Unknown	Chile	Pelagic trawl	Unknown	Unkno wn	High	Low	High
701	Salvin's Albatross	Bounty Islands	100,000+	51-100%	Unknown	Chile	Pelagic trawl	Unknown	Unkno wn	High	Low	High
591	Northern Giant Petrel	Chathams	10,000- 99,999	11-50%	Unknown	Chile	Pelagic trawl	Unknown	Unkno wn	Medium	Low	High
584	Northern Giant Petrel	Ca/An/Au	10,000- 99,999	0-10%	Unknown	Chile	Demersal LL	Unknown	Unkno wn	Medium	High	High
1035	Wandering Albatross	SGI/ IGS	10,000- 99,999	11-50%	Steep decline	Chile	Demersal LL	Low	High	Medium	Medium	High
1036	Wandering Albatross	SGI/ IGS	10,000- 99,999	11-50%	Steep decline	Chile	Demersal trawl	Low	Low	Low	Low	High
355	Grey-headed Albatross	I Diego Ramirez	100,000+	11-50%	Unknown	Chile	Pelagic trawl	Unknown	Unkno wn	High	Low	High
238	Buller's Albatross	Snares	10,000- 99,999	11-50%	Increase	Chile	Demersal LL	High	High	High	High	High
256	Buller's Albatross	Solander	10,000- 99,999	11-50%	Increase	Chile	Demersal LL	High	High	High	High	High

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen tation of mitigation (j)	Likelihood of success if mitigation used (k)
373	Grey-headed Albatross	SGI/ IGS	100,000+	11-50%	Decline	Chile	Demersal trawl	Low	Low	Medium	Low	High
635	Northern Royal Albatross	Taiaroa Head	10,000-99,999	0-10%	Increase	Chile	Demersal trawl	Medium	Medium	Medium	Low	High
590	Northern Giant Petrel	Ca/An/Au	10,000-99,999	0-10%	Unknown	Chile	Pelagic trawl	Unknown	Unkno wn	Medium	Low	High
717	Salvin's Albatross	Snares Islands	100,000+	0-10%	Stable	Chile	Demersal trawl	Unknown	Unkno wn	Medium	Low	High
957	Southern Royal Albatross	Campbell Island	10,000-99,999	51-100%	Stable	Chile	Demersal trawl	Low	Low	Medium	Low	High
348	Grey-headed Albatross	Islas Ildefonso	100,000+	0-10%	Unknown	Chile	Pelagic trawl	Unknown	Unkno wn	High	Low	High
1171	White-chinned Petrel	SGI/ IGS	100,000+	51-100%	Unknown	Chile	Demersal trawl	Low	Low	Medium	Low	High
663	Northern Royal Albatross	Chatham Islands	10,000-99,999	51-100%	Unknown	Chile	Pelagic LL	Medium	Medium	Medium	Medium	Medium
978	Southern Royal Albatross	Auckland Islands	10,000-99,999	0-10%	Stable	Chile	Demersal LL	Unknown	Unkno wn	Medium	High	High
1107	Westland Petrel	South Island	10,000-99,999	51-100%	Unknown	Chile	Pelagic LL	Medium	Medium	Medium	Medium	Medium
316	Grey Petrel	All sites	100,000+	51-100%	Unknown	Chile	Pelagic LL	Unknown	Unkno wn	Medium	Medium	Medium
1131	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Chile	Demersal LL	High	High	High	High	High
1170	White-chinned Petrel	SGI/ IGS	100,000+	51-100%	Unknown	Chile	Demersal LL	Low	Low	High	High	High
21	Antipodean Albatross	Antipodes Islands	10,000-99,999	11-50%	Increase	Chile	Pelagic LL	Medium	Medium	High	Low	Medium
122	Black-browed Albatross	IDA	100,000+	0-10%	Unknown	Chile	Pelagic LL	High	Medium	High	Medium	Medium
130	Black-browed Albatross	I Evangelistas	100,000+	0-10%	Unknown	Chile	Pelagic LL	High	Medium	High	Medium	Medium
138	Black-browed Albatross	I Diego Ramirez	100,000+	0-10%	Unknown	Chile	Pelagic LL	High	Medium	High	Medium	Medium
146	Black-browed Albatross	Islas Ildefonso	100,000+	0-10%	Unknown	Chile	Pelagic LL	High	Medium	High	Medium	Medium
154	Black-browed Albatross	Islote Albatros	100,000+	0-10%	Unknown	Chile	Pelagic LL	High	Medium	High	Medium	Medium
160	Black-browed Albatross	Islote Leonard	100,000+	0-10%	Unknown	Chile	Pelagic LL	High	Medium	High	Medium	Medium

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen tation of mitigation (j)	Likelihood of success if mitigation used (k)
239	Buller's Albatross	Snares	10,000- 99,999	11-50%	Increase	Chile	Pelagic LL	High	Medium	High	Medium	Medium
257	Buller's Albatross	Solander	10,000- 99,999	11-50%	Increase	Chile	Pelagic LL	High	Medium	High	Medium	Medium
372	Grey-headed Albatross	SGI/ IGS	100,000+	11-50%	Decline	Chile	Demersal LL	Low	High	High	High	High
634	Northern Royal Albatross	Taiaroa Head	10,000- 99,999	0-10%	Increase	Chile	Demersal LL	Medium	Medium	Medium	High	High
700	Salvin's Albatross	Bounty Islands	100,000+	51-100%	Unknown	Chile	Pelagic LL	Unknown	Medium	Medium	Medium	Medium
716	Salvin's Albatross	Snares Islands	100,000+	0-10%	Stable	Chile	Demersal LL	Unknown	Unkno wn	High	High	High
956	Southern Royal Albatross	Campbell Island	10,000- 99,999	51-100%	Stable	Chile	Demersal LL	Low	Unkno wn	Medium	High	High
19	Antipodean Albatross	Antipodes Islands	10,000- 99,999	11-50%	Increase	Chile	Demersal trawl	Low	Low	Medium	Low	High
20	Antipodean Albatross	Antipodes Islands	10,000- 99,999	11-50%	Increase	Chile	Demersal LL	Low	Low	Medium	High	High
566	Northern Giant Petrel	Macquarie Island	10,000- 99,999	11-50%	Steep increase	Chile	Demersal trawl	Low	Low	Medium	Low	High
981	Southern Royal Albatross	Auckland Islands	10,000- 99,999	0-10%	Stable	Chile	Pelagic trawl	Unknown	Unkno wn	Medium	Low	High
1132	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Chile	Pelagic LL	Low	Unkno wn	Medium	Medium	Medium
1037	Wandering Albatross	SGI/ IGS	10,000- 99,999	11-50%	Steep decline	Chile	Pelagic LL	Medium	Medium	Medium	Medium	Medium
589	Northern Giant Petrel	Chathams	10,000- 99,999	11-50%	Unknown	Chile	Pelagic LL	Unknown	Unkno wn	Low	Medium	Medium
565	Northern Giant Petrel	Macquarie Island	10,000- 99,999	11-50%	Steep increase	Chile	Demersal LL	Low	Unkno wn	Medium	High	High
980	Southern Royal Albatross	Auckland Islands	10,000- 99,999	0-10%	Stable	Chile	Pelagic LL	Unknown	Medium	Medium	Medium	Medium
1172	White-chinned Petrel	SGI/ IGS	100,000+	51-100%	Unknown	Chile	Pelagic LL	Low	Medium	Medium	Medium	Medium
588	Northern Giant Petrel	Ca/An/Au	10,000- 99,999	0-10%	Unknown	Chile	Pelagic LL	Unknown	Unkno wn	Low	Medium	Medium
940	Southern Giant Petrel	Macquarie Island	100,000+	0-10%	Increase	Chile	Demersal trawl	Low	Low	Medium	Low	High
719	Salvin's Albatross	Snares Islands	100,000+	0-10%	Stable	Chile	Pelagic trawl	Unknown	Unkno wn	High	Low	High

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen tation of mitigation (j)	Likelihood of success if mitigation used (k)
374	Grey-headed Albatross	SGI/ IGS	100,000+	11-50%	Decline	Chile	Pelagic LL	Low	Low	Medium	Medium	Medium
636	Northern Royal Albatross	Taiaroa Head	10,000-99,999	0-10%	Increase	Chile	Pelagic LL	Medium	Medium	Medium	Medium	Medium
718	Salvin's Albatross	Snares Islands	100,000+	0-10%	Stable	Chile	Pelagic LL	Unknown	Medium	Medium	Medium	Medium
958	Southern Royal Albatross	Campbell Island	10,000-99,999	51-100%	Stable	Chile	Pelagic LL	Low	Medium	Medium	Medium	Medium
847	Southern Giant Petrel	IN/ DR	100,000+	0-10%	Unknown	Chile	Pelagic LL	Unknown	Unkno wn	Low	Medium	Medium
939	Southern Giant Petrel	Macquarie Island	100,000+	0-10%	Increase	Chile	Demersal LL	Low	Medium	Medium	High	High
98	Black Petrel	G/LBI	1,000-9,999	51-100%	Unknown	Ecuador	Pelagic LL	Unknown	Unkno wn	Medium	Low	Low
1083	Waved Albatross	Islas Galapagos	10,000-99,999	51-100%	Decline	Ecuador	Pelagic LL	Unknown	Unkno wn	Low	Low	Low
1089	Waved Albatross	Isla de la Plata	10,000-99,999	0-10%	Unknown	Ecuador	Pelagic LL	Unknown	Unkno wn	Low	Low	Low
###	Waved Albatross	Islas Galapagos	10,000-99,999	51-100%	Unknown	Ecuador	Demersal LL	Unknown	Unkno wn	Unknou m	Low	Low
###	Waved Albatross	Islas Galapagos	10,000-99,1000	51-100%	Unknown	Ecuador	Cerquero costero pelagico	Unknown	Unkno wn	Unknou m	Low	Low
99	Black Petrel	G/LBI	1,000-9,999	51-100%	Unknown	Peru	Demersal LL	Unknown	Unkno wn	High	Low	High
297	Chatham Albatross	Chatham Islands	10,000-99,999	51-100%	Unknown	Peru	Demersal LL	Low	Low	Medium	Low	High
318	Grey Petrel	All sites	100,000+	51-100%	Unknown	Peru	Demersal LL	Low	Low	High	Low	High
1084	Waved Albatross	Islas Galapagos	10,000-99,999	51-100%	Decline	Peru	Demersal LL	Unknown	Unkno wn	Low	Low	High
702	Salvin's Albatross	Bounty Islands	100,000+	51-100%	Unknown	Peru	Demersal LL	Unknown	Unkno wn	Medium	Low	High
241	Buller's Albatross	Snares	10,000-99,999	11-50%	Increase	Peru	Demersal LL	Low	Low	High	Low	High
259	Buller's Albatross	Solander	10,000-99,999	11-50%	Increase	Peru	Demersal LL	Low	Low	High	Low	High
1090	Waved Albatross	Isla de la Plata	10,000-99,999	0-10%	Unknown	Peru	Demersal LL	Unknown	Unkno wn	Low	Low	High
720	Salvin's Albatross	Snares Islands	100,000+	0-10%	Stable	Peru	Demersal LL	Unknown	Unkno wn	Medium	Low	High

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen tation of mitigation (j)	Likelihood of success if mitigation used (k)
1085	Waved Albatross	Islas Galapagos	10,000-99,999	51-100%	Decline	Peru	Intentional take	Unknown	Unknown	Low	Low	Low or unknown
1091	Waved Albatross	Isla de la Plata	10,000-99,999	0-10%	Unknown	Peru	Intentional take	Unknown	Unknown	Low	Low	Low or unknown
298	Chatham Albatross	Chatham Islands	10,000-99,999	51-100%	Unknown	Peru	Pelagic LL	High	High	Medium	Low	Medium
100	Black Petrel	G/LBI	1,000-9,999	51-100%	Unknown	Peru	Pelagic LL	Unknown	High	Medium	Low	Medium
319	Grey Petrel	All sites	100,000+	51-100%	Unknown	Peru	Pelagic LL	Unknown	High	High	Low	Medium
1086	Waved Albatross	Islas Galapagos	10,000-99,999	51-100%	Decline	Peru	Pelagic LL	Unknown	High	Low	Low	Medium
703	Salvin's Albatross	Bounty Islands	100,000+	51-100%	Unknown	Peru	Pelagic LL	Unknown	High	Medium	Low	Medium
242	Buller's Albatross	Snares	10,000-99,999	11-50%	Increase	Peru	Pelagic LL	High	High	High	Low	Low or unknown
260	Buller's Albatross	Solander	10,000-99,999	11-50%	Increase	Peru	Pelagic LL	High	High	High	Low	Low or unknown
1092	Waved Albatross	Isla de la Plata	10,000-99,999	0-10%	Unknown	Peru	Pelagic LL	Unknown	High	Low	Low	Medium
721	Salvin's Albatross	Snares Islands	100,000+	0-10%	Stable	Peru	Pelagic LL	Unknown	High	Medium	Low	Medium
240	Buller's Albatross	Snares	10,000-99,999	11-50%	Increase	Peru	Trawl	Low	Unknown	High	Low	High
258	Buller's Albatross	Solander	10,000-99,999	11-50%	Increase	Peru	Trawl	Low	Unknown	High	Low	High
###	Waved Albatross	Islas Galapagos	10,000-99,999	51-100%	Decline	Peru	Purse seine	Low	Unknown	Low	Low	Low or unknown
###	Waved Albatross	Isla de la Plata	10,000-99,999	0-10%	Unknown	Peru	Purse seine	Low	Unknown	Low	Low	Low or unknown
1012	Tristan Albatross	Gough Island	10,000-99,999	51-100%	Steep decline	Uruguay	Demersal LL	Unknown	Unknown	Medium	High	High
169	Black-browed Albatross	FK/ MAL	100,000+	51-100%	Decline	Uruguay	Demersal trawl	High	High	High	Low	High
1011	Tristan Albatross	Gough Island	10,000-99,999	51-100%	Steep decline	Uruguay	Demersal trawl	Low	Low	Low	Low	High
1033	Wandering Albatross	SGSSI / IGSISS	10,000-99,999	11-50%	Steep decline	Uruguay	Demersal trawl	Low	Low	Low	Low	High
1174	White-chinned Petrel	SGSSI / IGSISS	100,000+	51-100%	Unknown	Uruguay	Demersal trawl	High	High	Medium	Low	Low
64	Atlantic Yellow-nosed Albatross	Tristan da Cunha	10,000-99,999	51-100%	Unknown	Uruguay	Demersal trawl	Medium	Medium	Medium	Low	High

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen tation of mitigation (j)	Likelihood of success if mitigation used (k)
679	Northern Royal Albatross	Chatham Islands	10,000-99,999	51-100%	Unknown	Uruguay	Demersal trawl	Medium	High	Medium	Low	High
1034	Wandering Albatross	SGSSI / IGSISS	10,000-99,999	11-50%	Steep decline	Uruguay	Pelagic LL	High	Medium	High	Medium	Medium
170	Black-browed Albatross	FK/ MAL	100,000+	51-100%	Decline	Uruguay	Pelagic LL	High	Medium	High	Medium	Medium
603	Northern Giant Petrel	SGSSI / IGSISS	10,000-99,999	11-50%	Unknown	Uruguay	Demersal trawl	Medium	Medium	Medium	Low	High
990	Spectacled Petrel	Tristan da Cunha	10,000-99,999	51-100%	Steep increase	Uruguay	Demersal trawl	Low	Low	Unknown	Low	High
65	Atlantic Yellow-nosed Albatross	Tristan da Cunha	10,000-99,999	51-100%	Unknown	Uruguay	Pelagic LL	High	Medium	High	Low	Medium
860	Southern Giant Petrel	Isla Gran Robredo	100,000+	0-10%	Unknown	Uruguay	Demersal trawl	Medium	Medium	Medium	Low	High
1013	Tristan Albatross	Gough Island	10,000-99,999	51-100%	Steep decline	Uruguay	Pelagic LL	High	Medium	High	Medium	Medium
1127	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Uruguay	Demersal Trawl	Low	Unknown	High	Low	High
1128	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Uruguay	Demersal LL	Unknown	Unknown	Low	High	High
1175	White-chinned Petrel	SGSSI / IGSISS	100,000+	51-100%	Unknown	Uruguay	Pelagic LL	High	Medium	High	Medium	Medium
47	Atlantic Yellow-nosed Albatross	Gough Island	10,000-99,999	11-50%	Unknown	Uruguay	Pelagic LL	High	Medium	High	Medium	Medium
814	Sooty Albatross	Tristan da Cunha	10,000-99,999	11-50%	Unknown	Uruguay	Demersal trawl	Unknown	Unknown	Unknown	Low	High
682	Northern Royal Albatross	Chatham Islands	10,000-99,999	51-100%	Unknown	Uruguay	Pelagic LL	Medium	Medium	High	Medium	Medium
984	Southern Royal Albatross	Auckland Islands	10,000-99,999	0-10%	Stable	Uruguay	Demersal trawl	High	High	Medium	Low	High
991	Spectacled Petrel	Tristan da Cunha	10,000-99,999	51-100%	Steep increase	Uruguay	Pelagic LL	High	Medium	Low	Medium	Medium
46	Atlantic Yellow-nosed Albatross	Gough Island	10,000-99,999	11-50%	Unknown	Uruguay	Demersal trawl	Medium	Medium	Medium	Low	High
386	Grey-headed Albatross	SGSSI / IGSISS	100,000+	11-50%	Decline	Uruguay	Demersal trawl	Low	Low	Medium	Low	High
644	Northern Royal Albatross	Taiaroa Head	10,000-99,999	0-10%	Increase	Uruguay	Demersal trawl	Medium	High	Medium	Low	High
962	Southern Royal Albatross	Campbell Island	10,000-99,999	51-100%	Stable	Uruguay	Demersal trawl	High	High	Medium	Low	High

ID #	Name of species	Island/ Archipelago (a)	Global population (b)	% pop. at island/ archip. (c)	Trend of population (d)	Fishery area (e)	Fishing method (f)	Overlap with fishery (g)	Fishing effort (h)	Inherent risk (i)	Use and implemen tation of mitigation (j)	Likelihood of success if mitigation used (k)
1129	White-capped Albatross	all breeding sites	100,000+	51-100%	Unknown	Uruguay	Pelagic LL	Medium	Medium	High	Medium	Medium
604	Northern Giant Petrel	SGSSI / IGSISS	10,000-99,999	11-50%	Unknown	Uruguay	Pelagic LL	Medium	Medium	Low	Medium	Medium
801	Sooty Albatross	Gough Island	10,000-99,999	11-50%	Unknown	Uruguay	Demersal trawl	Low	Low	Low	Low	High
815	Sooty Albatross	Tristan da Cunha	10,000-99,999	11-50%	Unknown	Uruguay	Pelagic LL	Low	Low	Unknown	Medium	Medium
861	Southern Giant Petrel	Isla Gran Robredo	100,000+	0-10%	Unknown	Uruguay	Pelagic LL	Low	Low	Low	Medium	Medium
985	Southern Royal Albatross	Auckland Islands	10,000-99,999	0-10%	Stable	Uruguay	Pelagic LL	Unknown	Unknown	High	Medium	Medium
387	Grey-headed Albatross	SGSSI / IGSISS	100,000+	11-50%	Decline	Uruguay	Pelagic LL	Low	Low	Medium	Low	Medium
645	Northern Royal Albatross	Taiaroa Head	10,000-99,999	0-10%	Increase	Uruguay	Pelagic LL	Medium	Medium	High	Medium	Medium
963	Southern Royal Albatross	Campbell Island	10,000-99,999	51-100%	Stable	Uruguay	Pelagic LL	Medium	Medium	High	Medium	Medium
802	Sooty Albatross	Gough Island	10,000-99,999	11-50%	Unknown	Uruguay	Pelagic LL	Low	Low	Unknown	Medium	Medium
882	Southern Giant Petrel	SGSSI / IGSISS	100,000+	11-50%	Unknown	Uruguay?	Demersal trawl	Medium	Medium	Medium	Low	High
883	Southern Giant Petrel	SGSSI / IGSISS	100,000+	11-50%	Unknown	Uruguay?	Pelagic LL	Low	Low	Low	Medium	Medium

FK/ MAL= Falkland Islands/ Islas Malvinas, SGI/ IGS= South Georgia Island/ Islas Georgias del Sur, SGSSI / IGSISS= South Georgia & South Sandwich Island/ Islas Georgia del Sur / Sandwich del Sur. IEO= Islas de los Estados y Observatorio, IDA= Isla Diego de Almagro, G/LBI= Great & Little Barrier Island, Ca/An/Au= Campbell, Antipodes and Auckland Islands, IDR=Islas Diego Ramirez, IN/ DR= Isla Noir/ Isla Diego Ramirez.

(a) Name of island/Archipelago: At-sea threats are entered at the level of island/archipelago. This may therefore consist of more than one breeding site and more than one land mass or island.

(b) Size of global population of species sourced from the ACAP Status and Trends database

(c) Proportion of global population that nest at the island/archipelago

(d) Population trend of the species over the last 5 years for this particular island/archipelago. Steep increase/decline is defined as >2% per annum

(e) Name of the country that has jurisdiction over the water

(f) Type of fishing method (including intentional take)

(g) Overlap of population with fishery: amount of overlap of a particular island/archipelago population with a particular fishery (fishery being a product of method + area): High – more than half the population and more than half the year; Medium – more than half the population or more than half the year; Low – less than half the population and less than half the year.

(h) Amount of fishing effort within overlap time/area: High – 10,000,000s hooks / 10,000s tows; Medium - 1,000,000s hooks / 1,000s tows; Low – 100,000s hooks / 100s tows.

(i) Inherent risk of this fishing method for this species of bird (i.e. in the absence of mitigation, how inherently likely is it for this particular species of bird to be caught by this particular fishing method?). High: behaviour of this species means that it has an inherently very high risk of being caught by this fishing method. Example: Black browed albatross and white capped albatross in trawl fisheries; medium: behaviour of this species means that it has an inherently moderate risk of being caught by this fishing method. Example: Yellow nosed albatross and pelagic longline or spectacled petrel and pelagic longline; Low: behaviour of this species means that it has an inherently low risk of being caught by this fishing method. Example: sooty shearwaters and demersal longline; No - this species is not known to be caught by this method; Unknown - there is not enough information from observed fisheries to determine whether this fishing method catches this species of bird.

(j) Use and implementation of effective mitigation (i.e. how effective and widespread is mitigation in this fishery?). High – mitigation thought to reduce bycatch to very low levels and uptake is almost universal or particular fishing technique is known to be inherently low risk; Medium – mitigation thought to be partially effective or mitigation known to be very effective but only used by a proportion of the fleet; Low – limited use of effective mitigation or mitigation not used or ineffective or observer coverage not sufficient to determine mitigation use/efficacy.

(k) Likelihood of success if best practice mitigation used (i.e. likelihood of successful export of this technical mitigation knowledge). High – has worked in similar fisheries; Medium – good evidence that it is feasible, but has not been achieved in similar fisheries; Low or unknown – never been attempted in similar fisheries, success doubtful.

1. *"Existe una disputa entre el Gobierno de la República Argentina y el Gobierno del Reino Unido de Gran Bretaña e Irlanda del Norte en relación a la soberanía de las Islas Malvinas (Falkland Islands), Islas Georgias del Sur (South Georgia) e Islas Sandwich del Sur (South Sandwich Islands) y áreas marítimas circundantes"*

1. *"A dispute exists between the Governments of Argentina and the United Kingdom of Great Britain and Northern Ireland concerning sovereignty over the Falkland Islands (Islas Malvinas), South Georgia and the South Sandwich Islands (Islas Georgias del Sur e Islas Sandwich del Sur) and the surrounding maritime areas"*